

# Design for the last millenium run

You will find on this page information about the experiment design for the PMIP4 [Last Millenium](#) experiment.



Please make sure to read the [Associated publication](#) before setting up your experiments or using the output data, and read any *how-to* sections associated with specific boundary conditions.

Get in touch with the following people if you have questions:

<a href="#">Johann Jungclaus</a>	Scientific questions
<a href="#">Jean-Yves Peterschmitt</a>	Technical questions or missing data

## Associated publication

**The PMIP4 contribution to CMIP6 - Part 3: the Last Millennium, Scientific Objective and Experimental Design for the PMIP4 past1000 simulations**, Jungclaus et al, GMD, under review, [doi:10.5194/gmd-2016-278](https://doi.org/10.5194/gmd-2016-278)

## Specifications

	PMIP4-CMIP6 specifications
PMIP4-CMIP6 name	<b>past1000</b>
Astronomical parameters	Time varying, following <i>Berger 1978</i> and <a href="#">Schmidt et al., 2011</a> Use the <a href="#">table provided by Gavin Schmidt for PMIP3</a>
Trace gases	<b>CO<sub>2</sub>, N<sub>2</sub>O, CH<sub>4</sub></b> = time varying, <a href="#">Meinshausen et al., CMIP6 GMD special issue</a> The CMIP6 greenhouse gases forcing data set covers the period 0 to 2014. Data sets can be downloaded from: <a href="http://www.climatecollege.unimelb.edu.au/cmip6">http://www.climatecollege.unimelb.edu.au/cmip6</a> . The data sets will be made available also via <a href="https://pcmdi.llnl.gov/search/input4mips/">https://pcmdi.llnl.gov/search/input4mips/</a> <b>CFC</b> = 0 <b>O<sub>3</sub></b> = for models without interactive ozone chemistry, we suggest that O <sub>3</sub> modulation is derived in a similar way from the modulation of the UV part of the solar spectrum as in the historical simulations (c.f. <a href="#">Matthes et al., CMIP6 GMD special issue 2016</a> )
Solar activity	<a href="#">Time varying</a>
Ice sheets	Same as in CMIP6 piControl
Topography and coastlines	Same as in CMIP6 piControl

	<b>PMIP4-CMIP6 specifications</b>
Volcanic activity	<a href="#">Time varying sulphur injections eVolv2k</a> (Toohey and Sigl <b>dataset</b> , 2016, doi: <a href="https://doi.org/10.1594/WDCC/eVolv2k_v1">10.1594/WDCC/eVolv2k_v1</a> ) for models with interactive aerosol chemistry. For models that need aerosol optical properties as forcing, these are produced by the EVA ( <i>Easy Volcanic Aerosol</i> ) module ( <a href="#">Toohey et al., 2016</a> ) using the eVolv2k data set as input. A tar file including the eVolv2k input data, the EVA module, scripts and instructions, can be downloaded here: <a href="#">eva_pmip4_v1.tgz</a>
Aerosols	The treatment of dust and aerosols in the past1000 simulations should be the same as the one used in piControl. There is no time-varying dust forcing available for the last millennium
Vegetation	The methodology to represent vegetation should be the same as for the CMIP6 piControl simulation
Land Use forcing	Land-Use/Land-cover change forcing is the same as for the <a href="#">historical CMIP6 forcing</a> , which has been extended to cover 850 CE to 2015 CE. The CMIP6 Land Use Harmonization data set has been developed as part of the Land Use Model Intercomparison Project LUMIP ( <a href="#">Lawrence et al</a> ) and can be downloaded from the <a href="#">LUMIP web site</a>

From:

<https://pmip4.lsce.ipsl.fr/> - **PMIP4**

Permanent link:

[https://pmip4.lsce.ipsl.fr/doku.php/exp\\_design:lm?rev=1485962386](https://pmip4.lsce.ipsl.fr/doku.php/exp_design:lm?rev=1485962386)Last update: **2017/02/01 16:19**